

Residential Energy Tax Credit

Wincore Manufacturing Statement

Homeowners may claim a tax credit for Energy Star Certified Windows and Doors purchased and installed during 2017. The following guidance is not intended as legal advice. It is recommended that you visit www.irs.gov or consult a tax professional with specific questions.

To be eligible for the credit, Windows and Doors must:

- Meet or exceed Energy Star program requirements (Version 6.0)
- Be installed in a taxpayer's primary residence
- Be purchased and installed during 2017

Homeowners may receive a tax credit equal to 10% of the product cost up to:

- \$200 for eligible for Windows
- \$500 for eligible for Doors
- Installation costs may NOT be included

Homeowners may receive ***NO MORE*** than \$500 total for all energy efficiency tax credits. If you have claimed an energy efficiency tax credit in a previous taxable year, please consult a tax professional or visit www.irs.gov to determine your remaining eligibility for this credit.

For more information about this credit or those from previous years, visit www.irs.gov and see the instructions for ***Form 5695, Residential Energy Credits***.

This Manufacturing Statement can be used by taxpayers to verify that the Wincore Window Company, LLC. products depicted in the charts below, meet all eligibility requirements outlined above. Please see "Energy Star Climate Zone Certification Guide" (right side of chart) to determine compliance of selected product in each Energy Star Climate Zone.

Under penalties of perjury, I declare that I have examined this manufacturing statement, and to the best of my knowledge and belief, all facts are true, correct, and complete.

David R. Kimball

David R. Kimball

Chief Financial Officer

Wincore Window Company, LLC.



5400 Series Energy Star Climate Zone Certification Chart

STYLE	CONFIGURATION	GLASS	LAMI	REFO	GRIDS	Northern	North-Central	South-Central	Southern	
Single Hung Window	LE-CL	SS-SS	N/A	A1	NO	NO	NO	NO	YES	
					YES	NO	NO	NO	YES	
				A2	NO	NO	NO	NO	YES	
					YES	NO	NO	NO	YES	
				A4	NO	NO	NO	NO	YES	
					YES	NO	NO	NO	YES	
		A9	NO	NO	NO	NO	YES			
			YES	NO	NO	NO	YES			
		DS-DS	A1	NO	NO	YES	YES	YES		
				YES	NO	YES	YES	YES		
			A2	NO	NO	YES	YES	YES		
				YES	NO	YES	YES	YES		
	A4		NO	NO	YES	YES	YES			
			YES	NO	YES	YES	YES			
	A9	NO	NO	NO	NO	YES				
		YES	NO	NO	NO	YES				
	BZ-LE	DS-DS	N/A	A1	NO	NO	YES	YES	YES	
					YES	NO	YES	YES	YES	
				A2	NO	NO	YES	YES	YES	
					YES	NO	YES	YES	YES	
				A4	NO	NO	YES	YES	YES	
					YES	NO	YES	YES	YES	
		A9	NO	NO	NO	NO	YES			
			YES	NO	NO	NO	YES			
		GR-LE	DS-DS	N/A	A1	NO	NO	YES	YES	YES
						YES	NO	YES	YES	YES
					A2	NO	NO	YES	YES	YES
						YES	NO	YES	YES	YES
	A4				NO	NO	YES	YES	YES	
					YES	NO	YES	YES	YES	
A9	NO	NO	NO	NO	YES					
	YES	NO	NO	NO	YES					
LE-EP	SS-SS	N/A	A1	NO	YES	YES	YES	YES		
				YES	YES	YES	YES	YES		
			A2	NO	YES	YES	YES	YES		
				YES	YES	YES	YES	YES		
			A4	NO	YES	YES	YES	YES		
				YES	YES	YES	YES	YES		
	A9	NO	YES	YES	YES	YES				
		NO	YES	YES	YES	YES				

5400 Series Energy Star Climate Zone Certification Chart

STYLE	CONFIGURATION	GLASS	LAMI	REFO	GRIDS	Northern	North-Central	South-Central	Southern			
Single Hung Window	LE-EP	SS-SS	N/A	A9	YES	YES	YES	YES	YES			
		DS-DS	N/A	A1	NO	YES	YES	YES	YES	YES		
					YES	YES	YES	YES	YES			
				A2	NO	YES	YES	YES	YES	YES		
					YES	YES	YES	YES	YES	YES		
				A4	NO	YES	YES	YES	YES	YES		
					YES	YES	YES	YES	YES	YES		
				A9	NO	YES	YES	YES	YES	YES		
					YES	YES	YES	YES	YES	YES		
				Double Hung Window	LE-CL	SS-SS	N/A	NO	NO	NO	YES	YES
YES	NO								YES	YES	YES	
A2	NO	NO	YES					YES	YES			
	YES	NO	YES					YES	YES			
A6	NO	NO	NO					NO	YES			
	YES	NO	NO					NO	YES			
A9	NO	NO	NO			NO		YES				
	YES	NO	NO			NO		YES				
DS-DS	N/A	NO	NO			NO		YES	YES	YES		
			YES			NO		YES	YES	YES		
		A2	NO			NO		YES	YES	YES		
			YES			NO		YES	YES	YES		
		A6	NO		NO	NO	NO	YES				
			YES		NO	NO	NO	YES				
A9	NO	NO	NO		NO	YES						
	YES	NO	NO		NO	YES						
BZ-LE	DS-DS	N/A	NO		NO	NO	YES	YES	YES			
					YES	NO	YES	YES	YES			
			A2		NO	NO	YES	YES	YES			
					YES	NO	YES	YES	YES			
			A6		NO	NO	NO	NO	YES			
					YES	NO	NO	NO	YES			
			A9		NO	NO	NO	NO	YES			
					YES	NO	NO	NO	YES			
			GR-LE		DS-DS	N/A	NO	NO	NO	YES	YES	YES
								YES	NO	YES	YES	YES
							A2	NO	NO	YES	YES	YES
								YES	NO	YES	YES	YES
A6	NO	NO					NO	NO	YES			
	YES	NO					NO	NO	YES			
A9	NO	NO		NO			NO	YES				
	YES	NO		NO			NO	YES				

5400 Series Energy Star Climate Zone Certification Chart

STYLE	CONFIGURATION	GLASS	LAMI	REFO	GRIDS	Northern	North-Central	South-Central	Southern			
Double Hung Window	LE-EP	SS-SS	N/A	NO	NO	YES	YES	YES	YES			
					YES	YES	YES	YES	YES			
				A2	NO	YES	YES	YES	YES			
					YES	YES	YES	YES	YES			
		A6	NO	YES	YES	YES	YES					
			YES	YES	YES	YES	YES					
			A9	NO	NO	YES	YES	YES				
				YES	NO	YES	YES	YES				
	DS-DS	N/A	NO	NO	YES	YES	YES	YES				
				YES	YES	YES	YES	YES				
			A2	NO	YES	YES	YES	YES				
				YES	YES	YES	YES	YES				
		A6	NO	YES	YES	YES	YES					
			YES	YES	YES	YES	YES					
			A9	NO	YES	YES	YES	YES				
				YES	YES	YES	YES	YES				
Horizontal Sliding Window	LE-CL	SS-SS	N/A	NO	NO	NO	YES	YES	YES			
					YES	NO	YES	YES	YES			
				A2	NO	NO	YES	YES	YES			
		YES	NO		YES	YES	YES					
		DS-DS	N/A		NO	NO	NO	YES	YES	YES		
				YES		NO	YES	YES	YES			
	A2			NO	NO	YES	YES	YES				
		YES	NO	YES	YES	YES						
		BZ-LE	DS-DS	N/A	NO	NO	NO	YES	YES	YES		
	YES					NO	YES	YES	YES			
	A2				NO	NO	YES	YES	YES			
		YES	NO	YES	YES	YES						
		GR-LE	DS-DS	N/A	NO	NO	NO	YES	YES	YES		
	YES					NO	YES	YES	YES			
	A2				NO	NO	YES	YES	YES			
		YES	NO	YES	YES	YES						
		LE-EP	SS-SS	N/A	NO	NO	YES	YES	YES	YES		
	YES					YES	YES	YES	YES			
	A2				NO	YES	YES	YES	YES			
					YES	YES	YES	YES	YES			
					DS-DS	N/A	NO	NO	YES	YES	YES	YES
								YES	YES	YES	YES	YES
	A2		NO	YES			YES	YES	YES			
			YES	YES			YES	YES	YES			
Picture Window	LE-CL		SS-SS	N/A	NO	NO	NO	YES	YES	YES		

5400 Series Energy Star Climate Zone Certification Chart

STYLE	CONFIGURATION	GLASS	LAMI	REFO	GRIDS	Northern	North-Central	South-Central	Southern	
Picture Window	LE-CL	SS-SS	N/A	NO	YES	NO	YES	YES	YES	
		DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
		3S-3S	N/A	NO	NO	NO	NO	YES	YES	YES
	YES				NO	YES	YES	YES	YES	
	BZ-LE	DS-DS	N/A	NO	NO	YES	YES	YES	NO	NO
					YES	YES	YES	YES	YES	YES
		3S-3S	N/A	NO	NO	NO	NO	YES	YES	YES
					YES	NO	YES	YES	YES	YES
	GR-LE	DS-DS	N/A	NO	NO	YES	YES	YES	YES	YES
					YES	YES	YES	YES	YES	YES
		3S-3S	N/A	NO	NO	NO	NO	YES	YES	YES
					YES	NO	YES	YES	YES	YES
	LE-EP	SS-SS	N/A	NO	NO	YES	YES	YES	YES	YES
					YES	YES	YES	YES	YES	YES
		DS-DS	N/A	NO	NO	YES	YES	YES	YES	YES
YES					YES	YES	YES	YES	YES	
3S-3S	N/A	NO	NO	YES	YES	YES	YES	YES		
			YES	YES	YES	YES	YES	YES		
Awning Window	LE-CL	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	YES
	BZ-LE	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	YES
	GR-LE	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	YES
LE-EP	DS-DS	N/A	NO	NO	YES	YES	YES	YES	YES	
				YES	YES	YES	YES	YES	YES	
Out-Swing Casement Window	LE-CL	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	YES
	BZ-LE	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	YES
	GR-LE	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	YES
LE-EP	DS-DS	N/A	NO	NO	YES	YES	YES	YES	YES	
				YES	YES	YES	YES	YES	YES	
Casement Picture Window	LE-CL	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	YES
		3S-3S	N/A	NO	NO	YES	YES	YES	YES	YES
					YES	NO	YES	YES	YES	YES
	BZ-LE	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	YES

5400 Series Energy Star Climate Zone Certification Chart

STYLE	CONFIGURATION	GLASS	LAMI	REFO	GRIDS	Northern	North-Central	South-Central	Southern	
Casement Picture Window	BZ-LE	3S-3S	N/A	NO	NO	YES	YES	YES	YES	
					YES	NO	YES	YES	YES	YES
	GR-LE	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
					NO	YES	YES	YES	YES	
					YES	NO	YES	YES	YES	
	LE-EP	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
					NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
	Basement Window	LE-CL	DS-DS	N/A	NO	NO	YES	YES	YES	YES
						YES	YES	YES	YES	YES
BZ-LE		DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
GR-LE		DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
LE-EP		DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
Sliding Glass Door		LE-CL	DS-DS	N/A	E4	NO	YES	YES	YES	YES
						YES	YES	YES	YES	YES
		BZ-LE	DS-DS	N/A	E4	NO	YES	YES	YES	YES
						YES	YES	YES	YES	YES
	GR-LE	DS-DS	N/A	E4	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
	LE-EP	DS-DS	N/A	E4	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
	RLTBLC (LE-CL RLT Blinds)	DS-DS	N/A	E4	NO	NO	NO	NO	NO	
	RLTBL2 (LE-EP RLT Blinds)	DS-DS	N/A	E4	NO	YES	YES	YES	YES	
RLTBL3 (LE-CL RLT Blinds)	DS-DS	N/A	E4	NO	NO	NO	NO	NO		
RLTBL4 (LE-EP RLT Blinds)	DS-DS	N/A	E4	NO	YES	YES	YES	YES		
Sidelite	LE-CL	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
	BZ-LE	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
	GR-LE	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
	LE-EP	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
	RLTBLC (LE-CL RLT Blinds)	DS-DS	N/A	NO	NO	NO	NO	NO	NO	
	RLTBL2 (LE-EP RLT Blinds)	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
RLTBL3 (LE-CL RLT Blinds)	DS-DS	N/A	NO	NO	NO	NO	NO	NO		

5400 Series Energy Star Climate Zone Certification Chart

STYLE	CONFIGURATION	GLASS	LAMI	REFO	GRIDS	Northern	North-Central	South-Central	Southern	
Sidelite	RLTBL4 (LE-EP RLT Blinds)	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
Transom	LE-CL	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
		3S-3S	N/A	NO	NO	YES	YES	YES	YES	YES
					YES	YES	YES	YES	YES	
	BZ-LE	DS-DS	N/A	NO	NO	YES	YES	NO	NO	
					YES	YES	YES	YES	YES	
		3S-3S	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
	GR-LE	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
		3S-3S	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
	LE-EP	DS-DS	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	
		3S-3S	N/A	NO	NO	YES	YES	YES	YES	
					YES	YES	YES	YES	YES	

ADDITIONAL NOTES

- 1) All certification results listed above are based upon the use of Tin-Plate Intercept Spacer (CU-D), excluding the Ultra High Performance Glass Option
- 2) All certification results listed above are based upon the use of Argon Gas, excluding the Ultra High Performance Glass Option & RLT Blinds
- 3) The use of Capillary Tubes will eliminate the availability of Argon Gas
- 4) All Insulated Glass Units (IGU's) are certified in accordance with ASTM E 2190, per NFRC requirement
- 5) Energy Star Certification status is based upon Energy Star Version 6, effective 01/01/2016
- 6) To determine the applicable Energy Star Climate Zone, please visit ---- www.energystar.gov/index.cfm?fuseaction=windows_doors.search_climate